

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lilia Safonov on 9/25/09.

The application has been amended as follows:

In the specification, page 9, line 6, the phrase "A-A" has been deleted and replaced with the phrase -- 4A-4A -- .

In the specification, page 9, line 7, the phrase "B-B" has been deleted and replaced with the phrase -- 5B-5B -- .

In the specification, page 9, line 15, the phrase "C-C" has been deleted and replaced with the phrase -- 10C-10C -- .

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

In Figure 4, the section heading "A-A" will be deleted and changed to -- 4A-4A --.

In Figure 5, the section heading "B-B" will be deleted and changed to -- 5B-5B --.

In Figure 10, the section heading "C-C" will be deleted and changed to -- 10C-10C --.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GIOVANNA C. WRIGHT whose telephone number is (571)272-7027. The examiner can normally be reached on 7:30-4 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Giovanna C. Wright/
Primary Examiner, Art Unit 3672